
NEW SHINE
www.newshinelighting.com

NEW SHINE

MOON SERIES



Basic information / Advantage / Contact



www.newshinelighting.com

NEW SHINE

MOON SERIES




Special Features:

1. Novel design suitable for different application, size up to 4ft;

2. Bright and even light distribution, nice craftsmanship;

3. Suspended, surface mount, recessed mountings are all available, acoustic version is optional;

4. Can 3 in 1 version combination of suspension, surface mounted and stem mounted.


NEW SHINE
MOON SERIES


LG
TCL


www.newshinelighting.com





NEW SHINE

MOON SERIES

1. Available in many different shape with different sizes and colors to match the space.
2. Acoustic version, down and up& down emitting to meet lighting design.



NEW SHINE

MOON SERIES

Model No.	Picture	Installation	Size (mm)	Size (inch)
LL0112S-15W		Central canopy suspended with 5ft (1.5m) aircraft cables&power cables	D300*80	D11.8*3.1
LL0112S-20W			D400*80	D15.7*3.1
LL0112S-25W			D480*80	D18.9*3.1
LL0112S-40W			D600*80	D23.6*3.1
LL0112S-90W			D900*80	D35.4*3.1
LL0112S-180W			D1200*80	D47.2*3.1
LL0112SACNL-480		Central canopy suspended with 5ft (1.5m) aircraft cables&power cables	D480*80	D18.9*3.1
LL0112SACNL-600			D600*80	D23.6*3.1
LL0112SACNL-900			D900*80	D35.4*3.1
LL0112SACNL-1200			D1200*80	D47.2*3.1
LL0112ST-15W		4ft(1.2m) stem mounted	D300*80	D11.8*3.1
LL0112ST-20W			D400*80	D15.7*3.1
LL0112ST-25W			D480*100	D18.9*3.9
LL0112ST-40W			D600*100	D23.6*3.9
LL0112ST-90W			D900*100	D35.4*3.9
LL0112ST-180W			D1200*100	D47.2*3.9
LL0112M-15W		Surface Mounted	D300*95	D11.8*3.7
LL0112M-20W			D400*95	D15.7*3.7
LL0112M-25W			D480*95	D18.9*3.7
LL0112M-40W			D600*95	D23.6*3.7
LL0112M-90W			D900*95	D35.4*3.7
LL0112M-150W			D1200*95	D47.2*3.7
LL0112MACNL-480		Surface Mounted	D480*95	D18.9*3.7
LL0112MACNL-600			D600*95	D23.6*3.7
LL0112MACNL-900			D900*95	D35.4*3.7
LL0112MACNL-1200			D1200*95	D47.2*3.7

Model No.	Picture	Installation	Size (mm)	Size (inch)
LL0112R-25W		Trim Recessed	D510*95	D20.1*3.7
LL0112R-40W			D630*95	D24.8*3.7
LL0112R-90W			D930*95	D36.6*3.7
LL0112R-150W			D1230*95	D48.4*3.7
LL0112UDM-50W (up 20w, down 30w)		Surface Mounted	D480*95	D18.9*3.7
LL0112UDM-80W (up 30w, down 50w)			D600*95	D23.6*3.7
LL0112UDM-120W (up 40w, down 80w)			D900*95	D35.4*3.7
LL0112UDM-150W (up 50w, down 100w)			D1200*95	D47.2*3.7
LL0112UDS-50W (up 20w, down 30w)		Central canopy suspended with 5ft (1.5m) aircraft cables&power cables	D480*80	D18.9*3.1
LL0112UDS-80W (up 30w, down 50w)			D600*80	D23.6*3.1
LL0112UDS-120W (up 48w, down 72w)			D900*80	D35.4*3.1
LL0112UDS-220W (up 88w, down 132w)			D1200*80	D47.2*3.1
LL0112UDST-50W (up 20w, down 30w)		4ft(1.2m) stem mounted	D480*80	D18.9*3.1
LL0112UDST-80W (up 30w, down 50w)			D600*80	D23.6*3.1
LL0112UDST-120W (up 48w, down 72w)			D900*80	D35.4*3.1
LL0112UDST-220W (up 88w, down 132w)			D1200*80	D47.2*3.1

NEW SHINE

JADE SERIES



Special Features:

1. Slim design, the thickness only 0.9 inch;

2. No dark area, even light distribution, robust structure;

3. Available in suspended and surface mounted installation.

Model No.	Picture	Installation	Size (mm)	Size (inch)
LL0114S-15W		Central canopy suspended with 5ft (1.5m) aircraft cables&power cables	D300*24	D11.8*0.9
LL0114S-20W			D400*24	D15.7*0.9
LL0114S-30W			D500*24	D19.7*0.9
LL0114S-40W			D600*24	D23.6*0.9
LL0114S-90W			D900*24	D35.4*0.9
LL0114M-15W		Surface Mounted	D300*55	D11.8*2.2
LL0114M-20W			D400*55	D15.7*2.2
LL0114M-30W			D500*55	D19.7*2.2
LL0114M-40W			D600*55	D23.6*2.2
LL0114M-90W			D900*55	D35.4*2.2



JADE SERIES





www.newshinelighting.com

NEW SHINE



Application

Widely used in office, hotel, shopping mall, school, hospital, commercial interiors and other morden buildings.



New Shine Lighting (Guangzhou) Co., Ltd
T: 86-20-22863929
E: info@newshinelighting.com
A: Part 2, 2/F, Plant 1,195 Junyi Road, Junan town, Shunde district, Foshan, Guangdong, China 528329
W: www.newshinelighting.com